Synology®

DiskStation

DS3617xsII



High Capacity Server for Critical Workloads

Synology DiskStation DS3617xsII is a general-purpose 12-bay NAS system designed to excel in data-heavy environments as a file server, surveillance server, or as virtual machine storage. Powered by Synology DiskStation Manager (DSM), DS3617xsII comes with powerful built-in business solutions and optional expandability for SATA SSD cache, 10/25 GbE networking, and up to 36 drive bays. The unit is backed by Synology's 5-year limited warranty.⁵

Highlights

- Solid Performance

 Delivers up to 2,359/2,178 MB/s sequential read/write performance¹
- Easy Scalability

 Add 24 additional drive bays for a total of 36 with up to two DX1215(II)² expansion units
- Performance Enhancements

 Add 10/25GbE networking³ or fast SATA SSD cache⁴
- Synology High Availability
 Maximizes service uptime by combining two devices
 into a high-availability cluster with minute-level failover
- Extended Support

 Backed by Synology's 5-year limited warranty⁵

Versatile and Reliable Storage Platform

The DS3617xsII combines high performance with high scalability to deliver a cost-efficient data management solution.

- Up to 2,359/2,178 MB/s sequential read/write performance to support multi-user and demanding workloads¹
- 12 SATA HDD/SSD 2.5"/3.5" bays, expandable to 36 with two Synology DX1215II expansion units²



Next-Generation File System

Btrfs is a modern file system designed to safeguard data integrity through metadata mirroring, file selfhealing, and fast snapshot replication.

Optimized for Data Protection and Integrity

Synology's DSM operating system and the Btrfs file system work together to safeguard your data with data protection technologies.

- Advanced snapshot technology provides schedulable and near-instantaneous data protection for shared folders and LUNs
- **File and folder-level data restoration** enables restoration of specific files or folders
- Flexible storage quota system helps admins manage available space by specifying storage limits for shared folders
- **File self-healing** detects and recovers corrupted files using mirrored metadata and RAID configurations
- **Inline compression** compresses data before it is written to the drive, reducing write commands and optimizing storage space





Synology Backup Solutions

DSM backup solutions are designed to be lowmaintenance, with different RPO/RTO targets, storage efficiency, and backup destinations available depending on your requirements.



Synology Collaboration Suite

A powerful and secure private cloud solution that lets teams collaborate, sync files, and communicate with others anytime, anywhere.

Data Backup Solutions for IT Infrastructure

Synology Active Backup Suite is a collection of license-free backup solutions built to protect Windows PCs and servers, VMs, other file servers, and SaaS applications:

- Active Backup for Business (ABB) consolidates backup tasks for physical and virtual environments with rapid restoration of files, entire physical machines, and VMs.
- Active Backup for Google Workspace allows users to back up Google Workspace data from Gmail, Contacts, Calendar, and Drive.
- Active Backup for Microsoft 365 provides complete backup of Microsoft 365 application data from OneDrive for Business, SharePoint Online, emails, contacts, and calendar.

Remote and On-Premises Collaboration

Synology's collaboration suite provides a private cloud solution for onpremises and remote workers to concurrently edit documents, share files, manage emails, send instant messages, and more.

By leveraging private cloud infrastructure, businesses can ensure complete data ownership and multi-layered security.

Synology Office lets multiple users edit, comment on, and share files together using Synology Documents, Spreadsheets, and Slides.


Synology Drive is a cloud file management solution that supports remote data access, synchronization, on-demand file restoration, and backup.

Synology Chat brings teams together with one-on-one chats, group chats, and encrypted private channels over multiple platforms.

Synology MailPlus⁶ provides a secure, reliable, and private email server.

Synology Calendar helps teams keep track of what is most important with convenient calendar sharing and scheduling.





Always On Guard

Protect your business with Synology's reliable and intuitive VMS solution. Surveillance Station combines intelligent monitoring and robust management features for flexible deployment scenarios.



Flexible Virtualization

Whether providing VM storage through iSCSI or NFS, or running VMs directly on the DS3617xsII using Virtual Machine Manager, Synology DSM provides comprehensive tools to protect your virtual machines.

Private Video Surveillance

With Synology Surveillance Station, the DS3617xsII becomes a powerful Network Video Recorder solution with support for up to 75 IP cameras.⁷

- 7,600+ supported camera models
- ONVIF support prevents vendor lock-in
- Private, subscription-free storage of recordings
- Access through web browsers, desktop clients, or mobile apps
- Event-based rules to trigger specific actions
- Email, SMS, or push notification options

Virtualization and Certified Storage

DSM streamlines provisioning for and management of virtual machines with full certification for VMware® vSphere™, Microsoft® Hyper-V®, Citrix® XenServer™, and OpenStack virtualization environments.

Synology Storage Console for VMware or Windows platforms lets you manage storage directly from your hypervisor. VMware VAAI integration and Windows ODX help offload storage operations and speed up data transfer.

Synology Virtual Machine Manager (VMM) is a hosted hypervisor for virtual machines running Windows®, Linux®, or virtualized versions of DSM with recovery mechanisms that ensure data protection on each VM.8



Hardware Overview

Front Rear





1	Status Indicator	2	Alert Indicator	3	Power Button	4	LAN Indicators
5	Drive Status Indicators	6	Drive Trays	7	Drive Tray Locks	8	Power Port
9	Fans	10	PCIe Expansion Slot	11	USB 3.2 Ports	12	Expansion Ports
13	Console Port	14	Reset Button	15	1GbE RJ-45 Ports		

Technical Specifications

Hardware

CPU	Intel® Xeon® D-1527 quad-core 2.2GHz, Turbo Boost up to 2.7GHz
Hardware encryption engine	Yes (AES-NI)
Memory	16 GB DDR4 ECC SODIMM (expandable up to 48 GB)
Compatible drive types ⁹	12 x 3.5" or 2.5" SATA HDD/SSD (drives not included)
Hot swappable drives	Yes
External ports	 2 x USB 3.2 Gen 1 ports 2 x Expansion ports (Infiniband)
Size (HxWxD)	270 x 300 x 340 mm
Weight	9.8 kg
LAN ports	4 x 1GbE RJ-45
Wake on LAN/WAN	Yes
PCIe 3.0 slot	 1x8 width slot, Gen 3.0 x8 lanes Supports network interface cards³ and the M2D18 M.2 SSD adapter card for SATA SSD cache⁴
Scheduled power on/off	Yes
System fans	2 x (120 x 120 x 25 mm)
AC input power voltage	100 V to 240 V AC
Power frequency	50/60 Hz, single phase
Operating temperature	5°C to 40°C (40°F to 104°F)
Storage temperature	-20°C to 60°C (-5°F to 140°F)
Relative humidity	5% to 95% RH
Maximum operating altitude	5,000 m (16,400 ft)



General DSM Specifications

Networking protocols	SMB, AFP, NFS, FTP, WebDAV, CalDAV, iSCSI, Telnet, SSH, SNMP, VPN (PPTP, OpenVPN™, L2TP)
File systems	 Internal: Btrfs, ext4 External: Btrfs, ext4, ext3, FAT32, NTFS, HFS+, exFAT¹⁰
Supported RAID types	Synology RAID F1, Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10
Storage management	 Maximum single volume size: 108/200 TB¹¹ Maximum system snapshots: 65,536¹² Maximum internal volumes: 1,024
SSD cache ⁴	 Read/write cache support 2.5" SATA SSD support M.2 SATA SSD support
File sharing capabilities	 Maximum local user accounts: 16,000 Maximum local groups: 512 Maximum shared folders: 512 Maximum concurrent SMB/NFS/AFP/FTP connections: 2,000¹³
Privileges	Windows® Access Control List (ACL), application privileges
Directory services	Connects with Windows® AD/LDAP servers enabling domain users to login via SMB/NFS/AFP/FTP/File Station using their existing credentials.
Virtualization	VMware vSphere®, Microsoft Hyper-V®, Citrix®, OpenStack®
Security	Firewall, shared folder encryption, SMB encryption, FTP over SSL/TLS, SFTP, rsync over SSH, login auto block, Let's Encrypt support, HTTPS (customizable cipher suite)
Supported clients	Windows® 7 onwards, macOS® 10.12 onwards
Supported browsers	Chrome®, Firefox®, Edge®, Internet Explorer® 10 onwards, Safari® 10 onwards, Safari (iOS 10 onwards), Chrome (Android™ 6.0 onwards) on tablets
Interface languages	English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svensk, Nederlands, Русский, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, Český, ภาษาไทย, 日本語, 한국어, 繁體中文, 简体中文

Packages and Applications

File Server & Synchroniz	ation
Drive	Synchronizes files across Windows®, macOS®, Linux®, Android™ and iOS. The built-in cross-platform portal allows access to data anytime and anywhere. • Maximum number of hosted files: 3,000,000 • Maximum number of concurrent connections for PC clients: 900
File Station	Provides virtual drives, remote folders, Windows® ACL editor, compression/extraction of archived files, bandwidth control for specific users/groups, creation of sharing links, and transfer logs.
FTP Server	Supports bandwidth control for TCP connections, custom FTP passive port ranges, anonymous FTP, FTP over TLS/SSL and SFTP protocols, network booting with TFTP and PXE support, and transfer logs.
Presto File Server ¹⁴	Enables high-speed data transfer over WAN through the exclusive SITA technology between Synology NAS and desktop.
Cloud Sync	Offers one or two-way synchronization with public cloud storage providers including Alibaba Cloud OSS, Amazon S3-compatible storage, Backblaze B2, Baidu Cloud, Box, Dropbox, Google Cloud Storage, Google Drive, hubiC, MegaDisk, Microsoft OneDrive, OpenStack Swift-compatible storage, Tencent COS, WebDAV servers and Yandex Disk.
Universal Search	Enables global search of applications and files.
iSCSI Storage & Virtualiz	zation
iSCSI Manager	 Maximum iSCSI targets: 256 Maximum iSCSI LUNs: 512 iSCSI LUN clone/snapshot support
Virtual Machine Manager	Deploys and runs virtual machines on the Synology NAS, including Windows®, Linux®, and Virtual DSM.
Data Protection & Back	up Solution
Hyper Backup	Supports local backup, network backup, and data backup to public clouds.
Backup tools	 DSM configuration backup, macOS® Time Machine® support, Synology Drive Client desktop application Shared folder sync supports a maximum of 32 tasks
Snapshot Replication	 Maximum number of snapshots for shared folders: 1,024 Maximum number of replications: 64
Synology High Availability	Reduces service downtime by combining two identical NAS into a high-availability cluster.



Active Backup for Google Workspace	Supports backup and restoration of Google Workspace My Drive, Team Drive, Gmail, Contacts, and Calendar.
Active Backup for Microsoft 365	Supports backup and restoration of Microsoft 365 OneDrive for Business, mail, contacts, and calendar.
Active Backup for Business	An all-in-one backup solution designed for heterogeneous business IT environments. It enables IT admins to remotely manage and protect PCs, servers, and VMs from one centralized console.
Productivity & Collaborati	
Collaboration tools	Users can collaborate through the instant messaging service Synology Chat, the online editor Synology Office, and the scheduling assistant Synology Calendar. Maximum users for Chat: 4,000 Maximum users for Office: 2,900 Calendar supports CalDAV and access via mobile devices
Note Station	A note taking platform that supports rich text, note organization and versioning, encryption, sharing, media embedding, an attachments.
Synology MailPlus Server ⁶	A secure, reliable, and private mail solution featuring high-availability, load balancing, security, and filtering.
Synology MailPlus	An intuitive webmail interface for Synology MailPlus Server with customizable mail labels, filters, and user interface.
Multimedia	
Moments	A feature-rich photo management application that includes Al-powered album creation from facial and subject recognition, photo editing and sharing capabilities, similar photo detection for duplicate management, auto-editing functions such as color correction and angle adjustments, and auto-selection of the best shots. Mobile applications are available on iOS and Android™ devices.
Other packages	Video Station, Photo Station, Audio Station, iTunes® Server
Surveillance	
Surveillance Station ⁷	Maximum IP cameras: 75, for a total of 2,250 FPS at 720p (H.264).
All-in-One Servers	
Synology Directory Server	Provides a flexible and cost-effective domain controller solution.
Central Management System	Provides a single interface to manage and monitor multiple Synology NAS.
VPN Server	 Maximum connections: 40 Supported VPN protocols: PPTP, OpenVPN™, L2TP/IPSec
Mail Server	 Supported Mail Server protocols: POP3, SMTP, IMAP LDAP/AD account support
Mail Station	A webmail interface for Mail Server to receive emails from multiple POP3 mailboxes and SMTP servers.
Web Station	Enables hosting for up to 30 websites with support for PHP/MariaDB® and 3rd-party applications.
Other packages	DNS Server, RADIUS Server, Log Center
Others	
Storage Analyzer	Displays volume and quota usage, total size of files, volume usage and trends based on past usage, size of shared folders, large files, most recently modified files, and least recently accessed files.
Antivirus Essential	Provides full system scans, scheduled scans, white list customization, and auto-update of virus definitions.
iOS/Android™ applications	Synology Drive, Synology MailPlus, Synology Chat, Synology LiveCam, Moments, DS audio, DS photo, DS video, DS cam, DS file, DS finder, DS note
Other packages	Additional 3rd-party packages are available in the Package Center.



Environment and Packaging

Environment safety	RoHS compliant
Package contents	 1 x DS3617xsll main unit 1 x Quick Installation Guide 1 x Accessory pack
rackage contents	 1 x ACC power cord 2 x RJ-45 LAN cables
Optional accessories ¹⁵	 DDR4 ECC SODIMM: D4ECSO-2666-16G / D4ECSO-2400-16G / RAMEC2133DDR4SO-16G 10GbE Network Interface Cards: E10G21-F2 / E10G18-T2 / E10G18-T1 / E10G17-F2 25GbE Network Interface Card: E25G21-F2 M.2 SSD Adapter Card: M2D18 2.5" SATA SSD: SAT5200 3.5" SATA HDD: HAT5300 Expansion Unit: DX1215(II) VisualStation units: VS960HD, VS360HD MailPlus License Pack⁶ Surveillance Device License Pack⁷ Virtual DSM License Pack⁸
Warranty	5 years ^s

Note: Model specifications are subject to change without notice. Please refer to www.synology.com for the latest information.

- 1. Performance figures obtained through internal testing by Synology. Actual performance may vary depending on the testing environment, usage, and configuration.
- 2. DS3617xsII supports up to 36 drives with two DX1215 or DX1215(II) expansion units, sold separately.
- 3. For the most up-to-date list of compatible NICs, please check our compatiblity list.
- 4. SSD cache can be enabled by using compatible 2.5" SSDs or without occupying drive bays by installing the M2D18 adapter card and supporting M.2 SATA SSDs, sold separately.
- 5. The warranty period starts from the date of purchase as stated on your purchase receipt. Learn more about our limited product warranty policy.
- 6. Five MailPlus email accounts are included with the DS3617xsII. Additional email accounts can be added with the purchase of Synology MailPlus License Packs.
- 7. Surveillance Station includes 2 free licenses. Connecting more cameras and devices requires additional licenses. Learn more.
- 8. Certain advanced features require Virtual Machine Manager Pro. One Virtual DSM license is included. Additional Virtual DSM instances require the purchase of Virtual DSM Licenses.
- 9. Check our compatibility list for validated drives to ensure system stability.
- 10. exFAT Access can be purchased separately through the DSM Package Center.
- 11. Volumes up to 108 TB are supported with the default installed memory. Volumes up to 200 TB can be created if the memory is upgraded to 32 GB. Learn more about maximum volume sizes.
- 12. System snapshots include snapshots taken by iSCSI Manager, Snapshot Replication, and Virtual Machine Manager. Availability of these packages varies by model.
- 13. Maximum concurrent connections can be increased to 10,000 with maximum installed memory of 48 GB RAM.
- 14. Presto File Server licenses can be purchased separately through the application.
- 15. Please refer to our compatibility list for the latest optional accessories list.

SYNOLOGY INC.

© 2021, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice.

DS3617xsII-2021-ENU-REV001

